



AMERICAN BEARING MFG.CORP.



0.938 Inch | 23.825 Millimeter x 1.109 Inch |
28.169 Millimeter x 1.438 Inch | 36.525 Millimeter
TIMKEN SAS 15/16 Pillow Block Bearings

Bearing No. SAS 15/16

SAS 15/16 Bearing 2D drawings and 3D CAD models

Category	Pillow Block Bearings
Inventory	2.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	0.757
EAN	0087796108431
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	3/8 Inch
Relubricatable	Yes
Insert Part Number	GYA015RRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Inch - Metric	Inch
Other Features	Single Row Spherical Normal Duty High Base
Long Description	2 Bolt Pillow Block; 15/16" Bore; 1-7/16" Base to Center Height; Set Screw Mount; Ball Bearing; Relubricatable;



AMERICAN BEARING MFG.CORP.

	Cast Iron; Double Land Riding Rubber Contact; Non-expansion
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.timken.com
Manufacturer Item Number	SAS 15/16
Weight / LBS	1.67
d	0.938 Inch 23.825 Millimeter
Nominal Bolt Center to Center	4.1 Inch 105 Millimeter
D	1.109 Inch 28.169 Millimeter
Bolt Spacing Maximum	0 Inch 0Millimeter
Actual Bolt Center to Center	4.1 Inch 105Millimeter
Bolt Spacing Minimum	0 Inch 0Millimeter
B	1.438 Inch 36.525 Millimeter
Shaft Size d	15/16 in
Bearing Type	Ball Bearing
Inside Ring Outside Diameter	1.316 in
Dimension T	0.705 in
Dimension D1	1.327 in
Series	Standard
Weight	1.653 lb
Seal Type	Narrow Shroud
Base to Center Height H	36.51 mm
Total Length L	139.70 mm
Total Width A	1.406 in



AMERICAN BEARING MFG.CORP.

Bolt Hole Spacing J	104.8 mm
Bolt Hole Width N	11.1 mm
Bolt Hole Length N1	20.6 mm
Foot Height H1	15.1 mm
Total Height H2	71.4 mm
Dimension L1	46.6 mm
Inside Ring Width B	=Bearings1_Inside Ring Width= mm
Center of Bearing from End S	8.8 mm
Dimension B1	1.110 in
Static Load Rating	1750 lbf
Dynamic Load Rating	3490 lbf